#### WHAT'S YOUR DIAGNOSIS?

2½ YEAR OLD GIRL PEDESTRIAN KNOCKED DOWN BY CAR WHILE CROSSING THE ROAD.


UNCONSCIOUS, IRRITABLE. LACERATION ON FOREHEAD. RESUSCITATED IN E.R. INTUBATED.


<u>XRAYS</u>

SXR: NAD

CXR: (AP & LAT)

FRACTURE DISLOCATION OF T<sub>8</sub>
NO HAEMOTHORAX OR PNEUMOTHORAX







C.T. SCAN (HEAD)

OBLITERATION OF VENTRICLES


BRAIN OEDEMA





### MANAGEMENT

I.V. FLUID THERAPY
STEROIDS





### HB DROPPED

11gm% To 7.7gm%


### INCREASING OPACITY

+

DROP IN HB

=

HAEMOTHORAX




# CHEST DRAIN INSERTED AND INITIALLY 400 ML OF BLOOD DRAINED.



THE FOLLOWING DAY PATIENT MORE ALERT, OPENING EYES TO SPEECH. MOVING UPPER LIMBS SPONT-ANEOUSLY. NO MOVEMENT IS NOTED IN LOWER LIMBS

## C.T. SCAN THORACIC SPINE CONFIRMS FRACTURE T<sub>8</sub> VERTEBRA



PRESENCE OF AIR IN SPINAL CANAL AND MEDIASTINUM -? OESOPHAGEAL RUPTURE. HOWEVER, METHYLENE BLUE INJECTED INTO OESOPHAGUS FAILED TO APPEAR IN CHEST DRAIN.


### PLEURAL DRAINAGE:

- (1) BECOMING CLEARER
- (II) AMOUNT RANGING
  - 225 305 ML/DAY

### POSSIBILITY OF CSF LEAK THROUGH CHEST DRAINAGE

### CHEMICAL ANALYSIS OF FLUID DRAINING CONFIRMS CSF.





### **OPERATION AIM:**

ATTEMPT AT REPAIR OF CSF FISTULA VIA LAMINECTOMY.

### FINDINGS:


DISLOCATION OF T<sub>8</sub> VERTEBRA.

COMPLETE RUPTURE OF DURA.

LIQUEFACTION NECROSIS OF SPINAL

CORD OVER A LENGTH OF 2.5 cm.

### PROCEDURE: WATER TIGHT CLOSURE OF THE PROXIMAL END OF THE DURA AS A CUL-DE-SAC.



### POST-OPERATIVE


UNEVENTFUL RECOVERY.

FULLY ALERT CONSCIOUS.

CHEST DRAIN REMOVED THE FOLLOWIN

DAY.

PATIENT PARAPLEGIC



### TRAUMATIC DURAL-PLEURAL FISTULA:

A CASE REPORT


DR. RAMESH MODUN


DR, REIJO LUOMA


KING FAHD MILITARY HOSPITAL, JEDDAH

#### Medical Curiosities...
















#### THANK YOU