





- 16 years old boy
- Came to Hospital complaining of severe headache
- Symptomatic tt with paracetamol and piriton
- Came back 2 days later
- Fever, severe headache
- Admitted. CT Brain...







Clinical Case 1... While in ward... Epileptic fits Lumbar Puncture. NAD. Shifted to ICU ...by which time he developed hemiparesis






- Mrs M
- Swelling left parotid region
- Attended ENT
- Antibiotics, allowed home
- Not relieved, swelling increased in size,
 fluctuant, tender, purulent discharge
- Pus sent for m+c+s











- Mrs P.D.
- Attended with walking difficulty
- Consultation with Orthopedic Surgeon
- MRI Lumbosacral area... NAD
- Proposed arthroscopy both knees
- Came to me for 2nd opinion
- Noted: spasticity b/l lower limbs
 - increased tendon reflex
 - no sensory deficit

Clinical Case 3... • Referred to Neurologist Dr Lam for confirmation of findings • MRI thoracic region







Clinical Case 3... • Contacted Dr Lam again • MRI Brain requested...










- Mr P, 22 years
- University Student
- Complaining of cervical pain for the past 2 years
- Has been attending chiropractor regularly
- Presented to Orthopedic Surgeon with worsening pain
- MRI cervical spine requested
- Developed tetraparesis by the time he came to me









Clinical Case 4... • Operation: • Posterior fossa decompression • Shunt from syrinx to subarachnoid space





